UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/512,110	12/21/2004	David John Thomson	11134.0010.PCUS00 8486	
23369 7590 02/09/2007 HOWREY LLP EXAMINER				
	TING DEPARTMEN	OMGBA, ESSAMA		
2941 FAIRVIEW PARK DRIVE, SUITE 200 FALLS CHURCH, VA 22042-7195			ART UNIT	PAPER NUMBER
			3726	
····				
SHORTENED STATUTORY	PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE	
3 MONTHS		02/09/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

	Application No.	Applicant(s)			
	10/512,110	THOMSON, DAVID JOHN			
Office Action Summary	Examiner	Art Unit			
·	Essama Omgba	3726			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING E. - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period Failure to reply within the set or extended period for reply will, by statul Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATION 136(a). In no event, however, may a reply be tire will apply and will expire SIX (6) MONTHS from the, cause the application to become ABANDONE	N, mely filed the mailing date of this communication. ED (35 U.S.C. § 133).			
Status					
1)	s action is non-final. ance except for formal matters, pro				
Disposition of Claims					
4) ⊠ Claim(s) 11-17 is/are pending in the application 4a) Of the above claim(s) is/are withdray 5) □ Claim(s) is/are allowed 6) ⊠ Claim(s) 11 and 12 is/are rejected. 7) ⊠ Claim(s) 13-17 is/are objected to. 8) □ Claim(s) are subject to restriction and/or	awn from consideration.				
Application Papers					
9) The specification is objected to by the Examin 10) The drawing(s) filed on is/are: a) accomposed and applicant may not request that any objection to the Replacement drawing sheet(s) including the correct and the specific process of the specific process.	cepted or b) objected to by the drawing(s) be held in abeyance. Se ction is required if the drawing(s) is ob	e 37 CFR 1.85(a). sjected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s)					
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:	ate			

Art Unit: 3726

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 2. Claim 11 is rejected under 35 U.S.C. 102(b) as being anticipated by Calabro (US Patent 3,403,434).

Calabro discloses an apparatus comprising an elongated rectangular header plate 40 having a slot in either end, and a centrally located clear hole through which a pressing shaft can extend (fig. 3), two support rods 24, each being received in one of the slots in the header plate and extending downwards relative to the direction of pressing force of the pressing shaft, the length of each support rod below the header plate being adjustable(see threads and screw 44 in fig. 3), and a stirrup shaped adaptor 30 attached to an end of each support rod (fig. 3). Applicant should know that the apparatus of Calabro could be used as intended in the claim. A recitation of the intended use of the claimed invention must result in a structural difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art. If the prior art structure is capable of performing the intended use, then it meets the claim.

Art Unit: 3726

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claim 12 is rejected under 35 U.S.C. 103(a) as being unpatentable over Calabro in view of Lee (US Patent 2,677,174).

Calabro discloses a support adaptor assembly as shown above. Although

Calabro does not disclose each stirrup shaped adaptor having a bolt with a shank that
extend through holes in opposing legs of the respective adaptor, however such stirrup
shaped adaptors are known as attested by Lee, see column 2, lines 27-29 and figure 1.

Therefore it would have been obvious to one of ordinary skill in the art at the time the
invention was made, to have substituted the stirrup shaped adaptors of Calabro with the
one taught by Lee when working on a component with lugs or other complementary
structure that could be securely held by the stirrup shaped adaptors.

Allowable Subject Matter

5. Claims 13-17 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Art Unit: 3726

Response to Arguments

6. Applicant's arguments with respect to claims 11 and 12 have been considered but are most in view of the new ground(s) of rejection.

Conclusion

7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Essama Omgba whose telephone number is (571) 272-4532. The examiner can normally be reached on M-F 9-6:30, 1st Friday off.

Art Unit: 3726

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Bryant can be reached on (571) 272-4526. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Essama Omgba Primary Examiner Art Unit 3726

eo February 2, 2007